

GMW90 CO2 and Temperature Transmitter - BACnet/Modbus

		1 2 3 4 5 6 7 8 9 10 11											
Vaisala Carbocap® CO2, Humidity and Temperature Transmitter		GMW90	5	0	0	0						A	Price
5	Display and colour	Standard White (RAL9003, solid cover) Standard White (RAL9003, display cover) <i>Black (RAL9005, solid cover)</i> <i>Black (RAL9005, display cover)</i> No logo, standard White (RAL9003, solid cover) No logo, standard White (RAL9003, display cover) <i>Indicator cover (RAL9003, display and CO2 Indicators)</i>											
6	Units	Metric Non metric										A B	
7	Display configuration	Default (T, CO2) CO2										C	
8	Elevation setting	Standard (sea level) Custom										X	
		Define _____ m (ft)											
9	CO2 indicator levels	None Standard Custom											0 1 X
		(800,1200 ppm)											
11	Quick reference guide	No manual Multilingual for digital devices											0 2

Accessories:

- TM10SP Temperature measurement module
- GM10SP CO2 measurement module
- 219980 Connection cable for HM70 hand-held meter
- 219690 USB cable for PC connection

Selections in bold are included in the prices of the basic versions
Selections in italic are available at an extra cost

GMW905 0 0 0 1 A A 0 0 A 2

上海博众测量技术有限公司

Bodhi (Shanghai) measurement technology Co.,Ltd.
NO.32,ShuPing Road, JiadingDistrict,ZIP201808,
Shanghai R.P.China
TEL: 0086 21 6630 8161/62/63
FAX: 0086 21 6630 8167

GMW90 CO2 and Temperature Transmitter - Current output

			1	2	3	4	5	6	7	8	9	10	11	A	Price
Vaisala Carbocap® CO2, Humidity and Temperature Transmitter			GMW90	4											
2	Output signal	4...20mA 0...20mA	3-wire 3-wire	4 5											
3	Output parameter for CH1	CO2 CO2, free scale T, free scale	0...2000 ppm 0...5000 ppm Define Low High ppm Define Low High °C (°F)		L M N T										
4	Output parameter for CH2	T T CO2, free scale T, free scale	-5...+55 °C (+23...+131 °F) 0...+60 °C (+32...+140 °F) Define Low High ppm Define Low High °C (°F)		E F N T										
5	Display and colour	Standard White (RAL9003, solid cover) Standard White (RAL9003, display cover) <i>Black (RAL9005, solid cover)</i> <i>Black (RAL9005, display cover)</i> No logo, standard White (RAL9003, solid cover) No logo, standard White (RAL9003, display cover) <i>Indicator cover (RAL9003, display and CO2 indicators)</i>			0 1 2 3 8 9 A										
6	Units	Metric Non metric							A B						
7	Display configuration	Default (T, CO2) CO2								A C					
8	Elevation setting	Standard (sea level) Custom	Define m (ft)								0 X				
9	CO2 indicator levels	None Standard Custom	(800,1200 ppm) Define Yellow Red ppm									0 1 X			
11	Quick reference guide	No manual Multilingual for analog devices Multilingual for digital devices													0 1 2

Accessories:

- TM10SP Temperature measurement module
- GM10SP CO2 measurement module
- 219980 Connection cable for HM70 hand-held meter
- 219690 USB cable for PC connection

Selections in bold are included in the prices of the basic versions

Selections in *italic* are available at an extra cost

GMW90 4 4 L E 1 A A 0 0 A 1

GMW90 CO2 and Temperature Transmitter - Voltage output

		1	2	3	4	5	6	7	8	9	10	11	A	Price
Vaisala Carbocap® CO2, Humidity and Temperature Transmitter		GMW90	3											
2	Output signal	0...10 V 0...5 V	3-wire 3-wire	2 3										
3	Output parameter for CH1	CO2 CO2, free scale T, free scale	0...2000 ppm 0...5000 ppm Define Low High ppm Define Low High °C (°F)		L M N T									
4	Output parameter for CH2	T T CO2, free scale T, free scale	-5...+55 °C (+23...+131 °F) 0...+60 °C (+32...+140 °F) Define Low High ppm Define Low High °C (°F)		E F N T									
5	Display and colour	Standard White (RAL9003, solid cover) Standard White (RAL9003, display cover) <i>Black (RAL9005, solid cover)</i> <i>Black (RAL9005, display cover)</i> No logo, standard White (RAL9003, solid cover) No logo, standard White (RAL9003, display cover) <i>Indicator cover (RAL9003, display and CO2 indicators)</i>												
6	Units	Metric Non metric								A B				
7	Display configuration	Default (T, CO2) CO2								A C				
8	Elevation setting	Standard (sea level) Custom	Define m (ft)											
9	CO2 indicator levels	None Standard Custom	(800,1200 ppm) Define Yellow Red ppm											
11	Quick reference guide	No manual Multilingual for analog devices												0 1

Accessories:

- TM10SP
- GM10SP Temperature measurement module
- 219980 Connection cable for HM70 hand-held meter
- 219690 USB cable for PC connection

Selections in bold are included in the prices of the basic versions

Selections in italic are available at an extra cost

GMW90|3|2|L|E|1|A|A|0|0|A|1